UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/657,579	09/08/2003	B. Martin Hill	IDF 2553 (4000-09001)	9871
28003 SPRIN T	7590 12/23/200		EXAMINER	
6391 SPRINT I			ANYA, CHARLES E	
KSOPHT0101-Z2100 OVERLAND PARK, KS 66251-2100			ART UNIT	PAPER NUMBER
			2194	
			MAIL DATE	DELIVERY MODE
			12/23/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/657,579	HILL ET AL.		
Office Action Summary	Examiner	Art Unit		
	Charles E. Anya	2194		
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the c	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut-Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tirwill apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 21 № 2a) This action is FINAL . 2b) This 3) Since this application is in condition for allowated closed in accordance with the practice under the second secon	s action is non-final. ance except for formal matters, pro			
Disposition of Claims				
4) ☐ Claim(s) 1-12,14,16 and 18-37 is/are pending 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-12, 14, 16 and 18-37 is/are rejecte 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	awn from consideration.			
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D: 5) Notice of Informal F 6) Other:	ate		

Art Unit: 2194

DETAILED ACTION

1. Claims 1-12, 14, 16 and 18-37 are pending this application.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

2. Claims 32-37 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claim 32 is directed to a "computer system". The body/structure of the claim indicates the "computer system" includes "a non-Java application", "a means for", "an EJBServlet" and "a remote method interface" all of which are software per se.

A computer system comprising "a non-Java application", "a means for", "an EJBServlet" and "a remote method interface" is therefore not a process, a machine, a manufacture or a composition of matter and as such not directed to statutory subject matter.

Also of note is that it is not clear as to whether Applicant is invoking 112 6th. protection in using the term "means for". If Applicant is invoking 112 6th. protection all the elements in the body/structure should include the term "means for".

In contrast, a claimed "computer storage medium encoded with instructions that when executed by a processor provides:" is a computer element with defined structural

Art Unit: 2194

and functional interrelationships. The structural and functional interrelationship allows the claim to be classified as a machine, the functionality realized and thus statutory.

Accordingly, appropriate correction or amendment is required (NOTE: computer storage medium must be directed to storage medium **only** and not transmission medium or carrier wave).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-10, 12, 16, 18-20 and 31-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pub. No. 7,047,525 B2 issued to Prunty et al. in view of U.S. Pat. No. 6,836,889 B1 issued to Chan et al.
- 4. As to claim 1, Prunty teaches a method of accessing an Enterprise Java Bean (EJB) ("...bean..." Col. 6 Ln. 15 17) by a non-Java application within a computing environment (figure 2 Col. 5 Ln. 9 33), comprising:
- a) making a call, by the non-Java application (IIS/NT/COM Component 202), to a client library (Request Component 214), wherein the call includes input parameters ("...request..." Col. 5 Ln. 9 14, Step 902 Col. 5 Ln. 36 37, Ln. 64 65,

Art Unit: 2194

"...MtdGetXML..." Col. 6 Ln. 15 – 29, "...MtdPostRequests method..." Col. 7 Ln. 4 – 10);

- b) invoking a function within the client library to construct an HTTP request corresponding to the input parameters of the call from the non-Java application, wherein numeric primitive data type of the non-Java application in the calling input parameters are converted into a corresponding text representation in the HTTP request ("...request is translated...(e.g., XML) (step 904)..." Col. 5 Ln. 34 39, "...InteropRequest class..." Col. 6 Ln. 9 42, "...MtdGetXML..." Col. 6 Ln. 15 29, "...MtdPostRequests method..." Col. 7 Ln. 4 10, Step 518 Col. 8 Ln. 23 28);
- c) passing the HTTP request from the client library to an EjbServlet (Transmission Component 212 Col. 5 Ln. 18 20, Step 906 Col. 5 Ln. 40 41);
- d) invoking a method on an EJB by the EjbServlet based upon the HTTP request (Step 406 Col. 7 Ln. 58 60);
- e) returning information from the invoked method from the EJB to the EjbServlet (Step 410 Col. 7 Ln. 60 62);
- f) decoding the returned information into an HTTP response string by the EjbServlet (Step 412 Col. 7 Ln. 62 64);

and

g) transmitting the HTTP response from the EjbServlet to the client library ("...translate the response..." Col. 5 Ln. 23 – 33, "...XMLResponse..." Col. 6 Ln. 15 – 22, Step 413 Col. 7 Ln. 64 – 65).

Art Unit: 2194

h) parsing and converting the HTTP response by the client library into return information compatible with the non-Java application and then passing the return information from the client library to the non-Java application, wherein text-represented numeric values extracted from the HTTP response are converted into a corresponding numeric primitive data type of the non-Java application ("...parsed..." Col. 6 Ln. 49 – 51, Col. 7 Ln. 65 – 67, Steps 530/542 Col. 8 Ln. 38 – 52).

Prunty is silent with reference to the client library being a linkable library that is dynamically linked to the non-Java application.

Chan teaches the client library being a linkable library that is dynamically linked to the non-Java application (Access Bean 310/Access Bean 350 Col. 6 Ln. 54 - 67, Col. 7 Ln. 1 - 5).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Prunty with the teaching of Chan because the teaching of Chan would improve the system of Prunty by allowing set of routines or library to be loaded and unloaded at runtime on request and used by multiple programs at the same time.

5. As to claim 2, Prunty teaches the method of claim 1 wherein the invoked method is a chained method (Step 406 Col. 7 Ln. 58 – 60).

Art Unit: 2194

- 6. As to claim 3, Prunty teaches the method of claim 1 wherein the invoking a method on the EJB by the EjbServlet further comprises passing one or more input parameters by the EjbServlet to the EJB (Step 406 Col. 7 Ln. 58 60).
- 7. As to claim 4, Prunty teaches the method of claim 3 wherein the input parameters comprise one or more input objects constructed by the EjbServlet based on the HTTP request (Step 406 Col. 7 Ln. 58 60).
- 8. As to claim 5, Prunty teaches the method of claim 1 wherein the returning information from the invoked method from the EJB to the EjbServlet further comprises the EJB constructing a return object based upon the information form the invoked method and passing the return object to the EjbServlet (Step 410 Col. 7 Ln. 60 62).
- 9. As to claim 6, Prunty teaches the method of claim 5 wherein the return object is a chained object (Steps 406-413 Col. 7 Ln. 58 67).
- 10. As to claim 7, Prunty teaches the method of claim 5 wherein the decoding the returned information into an HTTP response string by the EjbServlet further comprises decoding the return object into an HTTP response string by the EjbServlet (Step 412 Col. 7 Ln. 62 64).

Art Unit: 2194

- 11. As to claim 8, Prunty teaches the method of claim 1 wherein the HTTP request and the HTTP response each comprise a series of bytes representing HTTP-specific control information or text strings ("...XML messages..." Col. 5 Ln. 58 61, Col. 6 Ln. 9 14, Ln. 45 58, Col. 7 Ln. 4 10, "...XML response..." Col. 8 Ln. 35 41).
- 12. As to claim 9, Prunty teaches the method of claim 8 wherein the HTTP request and the HTTP response are passed between the client library and the EjbServlet via an HTTP protocol ("...HTTP or HTTPS..." Col. 5 Ln. 58 61, Col. 6 Ln. 45 48).
- 13. As to claim 10, Prunty teaches the method of claim 9 wherein the HTTP protocol enables the client library and EjbServlet to communicate across a distributed computing environment ("...HTTP or HTTPS..." Col. 5 Ln. 58 61, Col. 6 Ln. 45 48).
- 14. As to claim 12, Prunty teaches the method of claim 1 further comprising the non-Java application allocating buffers to hold calling input parameters sent to the client library and return information received from the client library ("...InteropParameter class...(input or output) of the parameter..." Col. 6 Ln. 30 37).
- 15. As to claim 16, Prunty teaches the method of claim 12 further comprising the client library extracting the return information from the HTTP response sent by the EjbServlet and placing the return information into the buffers provided by the calling application (Step 530 Col. 8 Ln. 35 41).

Application/Control Number: 10/657,579

Art Unit: 2194

16. As to claim 18, Prunty teaches the method of claim 1 wherein the EjbServlet and the method invoked on the EJB is identified by a calling input parameter embedded in the HTTP request ("...request...input/output parameters..." Col. 5 Ln. 64 – 65, "...InteropParameter class...(input or output) of the parameter..." Col. 6 Ln. 30 – 37)).

Page 8

- 17. As to claim 19, Although Chan does not explicitly teach the method of claim 1 wherein the method is invoked via a remote method invocation (RMI) protocol, it does teach multiple Java Virtual Machines (JVM) communicating and as such Remote Method Invocation RMI would be inherent since Remote Method Invocation (RMI) facilitates object function calls between Java Virtual Machines (JVMs).
- 18. As to claim 20, Although Chan does not explicitly teach the method of claim 19 wherein the RMI enables the EjbServlet and the EJB to communicate across a distributed computing environment, it does teach multiple Java Virtual Machines (JVM) communicating in a distributed fashion and as such Remote Method Invocation RMI would be inherent since Remote Method Invocation (RMI) facilitates object function calls between Java Virtual Machines (JVMs).
- 19. As to claim 31, Chan teaches the method of claim 1 further comprising invoking a logging function within the client library (Cache 340 Col. 7 Ln. 5 6).

Art Unit: 2194

20. As to claims 32, 36 and 37, see the rejection of claim 1 above.

- 21. As to claims 33-35, see the rejection of claims 3, 5 and 8 respectively.
- 22. Claims 11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pub. No. 7,047,525 B2 issued to Prunty et al. in view of U.S. Pat. No. 6,836,889 B1 issued to Chan et al. as applied to claim 1 above, and further in view of U.S. Pub. No. 2002/0120697 A1 to Generous et al.
- 23. As to claim 11, Chan and Prunty are silent with respect to the method of claim 1 wherein the non-Java application is based on a programming environment capable of calling external library functions via the C calling convention ("...Visual C++...C# language..." page 4 paragraph 004, page 8 paragraph 0174).

Generous teaches the method of claim 1 wherein the non-Java application is based on a programming environment capable of calling external library functions via the C calling convention ("...C..." page 27 paragraph 1073).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Chan and Prunty with the teaching of Generous because the teaching of Generous would improve the system of Chan and Prunty by providing a general-purpose programming language with high-level and low-level capabilities and functionalities, including being statically typed, free-formed, multi-

Art Unit: 2194

paradigm, usually compiled language and supporting procedural programming, data abstraction, object-oriented and generic programming.

- 24. As to claim 14, Generous teaches the method of claim 1 wherein the calls between the client library and the non-Java application are based upon the C language calling convention ("...C..." page 27 paragraph 1073).
- 25. Claims 21 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pub. No. 7,047,525 B2 issued to Prunty et al. in view of U.S. Pat. No. 6,836,889 B1 issued to Chan et al. as applied to claim 12 above, and further in view of U.S. Pub. No. 20020199032 A1 to Seidman et al.
- 26. As to claim 21, Chan and Prunty are silent with reference to the method of claim 12 wherein the return information is placed into two buffers.

Seidman teaches the method of claim 12 wherein the return information is placed into two buffers ("...response components...deployment descriptor text file..." page 3 paragraph 0024, "...output values..." page 4 paragraph 0030, "...return value, the deployment descriptor..." page 5 paragraph 0037).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Chan and Prunty with the teaching of Seidman because the teaching of Seidman would improve the system of Chan and

Art Unit: 2194

Prunty providing a region of memory used to temporarily hold data while it is being moved from one place to another.

- 27. As to claim 22, Seidman teaches the method of claim 21 wherein the buffers comprise a data buffer and a format buffer, wherein the data buffer comprises an information text string comprising a text representation of returned information from the invoked method ("...response components..." page 3 paragraph 0024, "...output values..." page 4 paragraph 0030, "...return value..." page 5 paragraph 0037), the format buffer comprises a format text string comprising format information about the returned information, and the format text string comprises tags that comprises a name field, a start position field, and length field used to locate data values in the information text string (deployment descriptor text file..." page 3 paragraph 0024, "...the deployment descriptor..." page 5 paragraph 0037).
- 28. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pub. No. 7,047,525 B2 issued to Prunty et al. in view of U.S. Pat. No. 6,836,889 B1 issued to Chan et al. and further in view of U.S. Pub. No. 20020199032 A1 to Seidman et al. as applied to claim 22 above, and further in view of U.S. Pub. No. 20030167355 A1 to Smith et al.
- 29. As to claim 23, Seidman, Chan and Prunty are silent with reference to the method of claim 22 further comprising passing additional decoded return information

Art Unit: 2194

wherein the information from the invoked method exceeds the data buffer capacity, the format buffer capacity, or both.

Smith teaches the method of claim 22 further comprising passing additional decoded return information wherein the information from the invoked method exceeds the data buffer capacity, the format buffer capacity, or both ("...buffer is full..." paragraph 6326).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Seidman, Chan and Prunty with the teaching of Smith because the teaching of Smith would improve the system of Seidman, Hershberg, Chan and Prunty providing a region of memory used to temporarily hold data while it is being moved from one place to another.

- 30. Claims 24 and 27-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pub. No. 7,047,525 B2 issued to Prunty et al. in view of U.S. Pat. No. 6,836,889 B1 issued to Chan et al. and further in view of U.S. Pub. No. 20020199032 A1 to Seidman et al. and further in view of U.S. Pub. No. 20030167355 A1 to Smith et al. as applied to claim 23 above, and further in view of U.S. Pub. No. 2006/0036448 A1 to Haynie et al.
- 31. As to claim 24, Smith, Seidman, Chan and Prunty are silent with reference to the method of claim 23 wherein the EjbServlet stores the remaining decoded EJB method call results in memory.

Haynie teaches the method of claim 23 wherein the EjbServlet stores the remaining decoded EJB method call results in memory ("...caching..." page 11 paragraph 0149).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Smith, Seidman, Chan and Prunty with the teaching of Haynie because the teaching of Haynie would improve the system of Smith, Seidman, Chan and Prunty by providing a temporary storage area where frequently accessed data can be stored for rapid access.

- 32. As to claim 27, Haynie teaches the method of claim 23 wherein the EjbServlet passes a key to the client library identifying any information from the invoked method remaining in the EjbServlet ("...object ID parameter..." page 11 paragraph 0149).
- 33. As to claim 28, Haynie teaches the method of claim 27 wherein the client library places the key in a session ID parameter ("...object ID parameter..." page 11 paragraph 0149).
- 34. As to claim 29, Haynie teaches the method of claim 28 wherein the client library provides the key to the non-Java application ("...object ID parameter..." page 11 paragraph 0149).

Art Unit: 2194

35. As to claim 30, Haynie teaches the method of claim 29 wherein non-Java application accesses the information from the invoked method remaining in the EjbServlet using the key ("...object ID parameter..." page 11 paragraph 0149).

- 36. Claims 25 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Pub. No. 7,047,525 B2 issued to Prunty et al. in view of U.S. Pat. No. 6,836,889 B1 issued to Chan et al. and further in view of U.S. Pub. No. 20020199032 A1 to Seidman et al. and further in view of U.S. Pub. No. 20030167355 A1 to Smith et al. as applied to claim 23 above, and further in view of U.S. Pat. No. 5,948,066 issued to Whalen et al.
- 37. As to claim 25, Smith, Seidman, Chan and Prunty are silent with reference to the method of claim 23 wherein the client library passes a return code to the non-Java application indicating that information from the invoked method remains in the EibServlet.

Whalen teaches the method of claim 23 wherein the client library passes a return code to the non-Java application indicating that information from the invoked method remains in the EjbServlet ("...one or more status code..." Col. 5 Ln. 16 – 41).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Smith, Seidman, Chan and Prunty with the teaching of Whalen because the teaching of Whalen would improve the system of

Art Unit: 2194

Smith, Seidman, Chan and Prunty providing a technique intended to give a short textual description of the status of a response to a HTTP request.

38. As to claim 26, Whalen teaches the method of claim 23 wherein additional return data and format strings are passed until all of the decoded information from the invoked method is received by the application ("...dependent resources..." Col. 5 Ln. 16 – 35).

Response to Arguments

Applicant's arguments with respect to claims 1-12, 14, 16 and 18-37 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- U.S. Pub. No. 2002/0147962 A1 to Hatanaka et al.: directed to method and system for incorporating legacy applications into a distributed data processing environment.
- U.S. Pub. No. 2003/0163450 A1 to Borenstein et al.: directed to brokering semantics between web services.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles E. Anya whose telephone number is 571-272-3757. The examiner can normally be reached on 8:30-5:00.

Art Unit: 2194

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on 571-272-3756. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

cea.

/Li B. Zhen/ Primary Examiner, Art Unit 2194